OOK

th	Depth 6	Contents 7	Refer to last Measu 8
	42629 (— ಕೀರ್ತಿ ಕೈಲಾಯಿತು ಹಾಗೂ ಬಾಬು ಇವರಿಗೆ ಕೊಟ್ಟಿದೆ.		

I st And Final Bill

Work code · 005 · 19 · 000039

M. A. R. 57 (Rule 116)

Measurement Book

No. B 356636

Sec cost Rs · 20 · 00 Lacs

No. ..... Emergency works likes JCB Tractor Cabon Debris

of Work ..... Clearance should From ..... drains culverts and other works in To .....

of Contractor of nature of Agency ..... Ward No. 05 Surrounding Area Byrasandra

of commencement of work ..... Pera Sub division.

Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
	Number 3	Length 4	Breadth 5	Depth 6		
Work order No. - BBMP/EE/BTP/WO/55/2019-2020						
Name of Contractor · M/s Shree charan Construction Prop · Sri · T.S. Kothandaraju No · 05 · Sreenivas Bagam Enclave · Kathrigenahally Yelahanka · Bangalore · 560064						
Hire charges of JCB Excavator including Operator and Fuel etc.. complete.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	01/08/2019 to 31/08/2019						
		4	-	-	-	4 Nos	
	01/09/2019 to 30/09/2019						
		3	-	-	-	3 Nos	
	01/10/2019 to 31/10/2019						
		3	-	-	-	3 Nos	
						10 Nos	
	Rate - 5200:00						52000:
(2)	Hire charges of Tractor 50 HP including Operator and fuel.						

No. .....
of Work .....
of Contractor of nature of Agency
f commencement of work .....

Full description, etc, of work
2
01/08/2019 to 3
01/09/2019 to
01/10/2019 to
Rate - 1950:

EMENT BOOK

Dimensions			Contents	Ref. to Meas.
Length 4	Breadth 5	Depth 6	7	
2019				
-	-	-	4 Nos	
2019				
-	-	-	3 Nos	
019				
-	-	-	3 Nos	
			10 Nos	52000
& 50 HP	including	operat		

M. A. R. 57 (Rule 116)
Measurement Book

No. B

356637

No. .....
of Work ..... From..... To.....
of Contractor of nature of Agency .....
f commencement of work .....

Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
	Number 3	Length 4	Breadth 5	Depth 6		
01/08/2019 to 31/08/2019						
	23	-	-	-	23 No.	
01/09/2019 to 30/09/2019						
	23	-	-	-	23 No.	
01/10/2019 to 31/10/2019						
	23	-	-	-	23 No.	
Rate. 1950:00					69 Nos	134950:00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(3)	Engaging casual labours (unskilled Mazdoor Heavy						
	01/08/2019 to 31/08/2019						
		228	-	-	-	228 Nos	
	01/09/2019 to 30/09/2019						
		230	-	-	-	230 Nos	
	01/10/2019 to 31/10/2019						
		229	-	-	-	229 Nos	
						687 Nos	
	Rate. 420.00						28854

M. A
M

No. .....
e of Work ..... Fr
e of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work	Numb
2	3
Earthwork excava Soil Soil involving an 2 meters ordinal Sundries lowered a Earth base lowered a as per Specification As per Pre. Mea 356676 to 3566 Rate. 120.00	

MENT BOOK

Dimensions			Contents	Refer... to l... Measur...
ngth 4	Breadth 5	Depth 6	7	8
...ngs (Consolidated Measurements Nearly				
9				
	-	-	228 Nos	
19				
	-	-	230 Nos	
19				
	-	-	229 Nos	
			687 Nos	
				28854

M. A. R. 57 (Rule 116)
Measurement Book

No. B

356638

No. .....
of Work ..... From..... To.....
of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
	Number 3	Length 4	Breadth 5	Depth 6		
Earthwork excavation by manual means in ordinary Soil Soil involving an average horizontal distance up to 2 meters and an average lift up to 0.50 mtr excavated Surfaces levelled and sides neatly dressed the dispersed Earth rose levelled neatly after spreading & clods Compose as per Specification.						
As per Pre. Measurement recorded vide Page no..						
Page. 120:00	356676 to 356677		in This MB.		218.74	26248:80

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measure
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(5)	Providing and laying in position Plain Cement Concrete of Mix M 1:4:8 using OPC cement of 180 kgs with nominal and down size graded granite metal (coarse aggregate) of 0.892 cum and fine aggregate of 0.87 cum (aggregate) mixed Cement Laid in layers not exceeding 15 cm thick well Compacted in foundation and Plinth including cost of all materials labour tools & machinery Curing Complete as per Specification.						
	As per Pre-measurement recorded vide Page No. 35 6677 to 35 6678 in this MB.						
	Rate · 5300 : 00					27.29	144637

Full description, etc, of work

2

Providing and
Masonry in
hammered
bond stones
cost & materi
As per P
Page No.
Rate · 410

BOOK

ons		Contents	Refere to la Measure
readth 5	Depth 6	7	8
ition Plain Cement Conc			
ment at 180 cgs with norm			
ixe mesul Coarse aggre			
ate as 0-87 cum/quan			
ing not exceeding 15cm			
undation and Plain			
ng Labour Norm & measu			
ification.			
ment recorded vide			
6678		in this MB.	
		27.29	144637

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356639

No. .....
e of Work ..... From..... To.....
e of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
2	Number 3	Length 4	Breadth 5	Depth 6	7	8
Providing and Constructing Granite/Trap/Basalt Stone Masonry in foundation with cement mortar 1:6 stone hammered dressed in courses not less than 20cms height bond stones at 2.0 mtr apart in each courses including cost of materials Labour Curing Complete as per Specification. As per Pre-measurements recorded vide Page No.. 356679 to 356679 in this MB. Page. 4100+10					~~27.29~~ m^3 52.08	213528 : 4

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(7) Providing and constructing granite/brick/basan size stone masonry in basement with cement mortar 1:6 edges & stone entrie dressed in courses not less than 15 cms high, bond stones of 2.0 mtr apart in each courses including cost of materials, labour curing complete as per specification.						
	(1) Anjanadri layout	2	6.10	0.50	0.45	2.74	
	(2) Sapthagiri layout	2	6.20	0.50	0.45	2.79	
	(3) Over Tank (K.H. Colony)	2	6.20	0.50	0.45	2.79	
	(4) Over Tank (K.H. Colony)	2	6.15	0.50	0.45	2.76	
	(5) Colony (K.H. Colony)	2	6.30	0.50	0.45	2.83	
						13.91	

M. A. R
Meas

No. .....
of Work ..... From...
of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work	Number
2	3
(6) Colony (Kathrisenahally)	2
(7) Colony (Kathrisenahally)	2
(8) Colony (Kathrisenahally)	2
(9) Thiramenahally	2
(10) Venkateshpura 4th Cross	2
(11) Venkateshpura 3rd Cross	2

T BOOK

sions		Contents	Refere to la Measure
Breadth 5	Depth 6	7	8
ing Granite/Brick/Basan ment with cement Mortar ressed in Courses not les of 2·0 mtr apart in eac ential lags in curin er on.			
0.50	0.45	2.74	
0.50	0.45	2.79	
0.50	0.45	2.79	
0.50	0.45	2.76	
0.50	0.45	2.83	
		13.91	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

356640

No. .....

e of Work ..... From..... To.....

e of Contractor of nature of Agency .....

of commencement of work .....

Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
	Number 3	Length 4	Breadth 5	Depth 6		13.91
(6) Colony (Kassisenahally)	2	6.35	0.50	0.45	2.85	
(7) Colony (Kassisenahally)	2	6.00	0.50	0.45	2.70	
(8) Colony (Kassisenahally)	2	6.40	0.50	0.45	2.88	
(9) Thiramenahally	2	6.20	0.50	0.45	2.79	
(10) Venkateshpura 4th cross	2	6.40	0.50	0.45	2.88	
(11) Venkateshpura 3rd cross	2	6.10	0.50	0.45	2.74	16.84
					30.75	

SM(B)
Hatchs

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	30.75
	(12) Kuvempu Nagara Main Road.	2	6.15	0.30	0.45	2.76	
	(13) Main Road (Kathrigenahalli)	2	7.80	0.30	0.45	3.51	
	(14) Kuvempu Nagara Main Road.	2	4.45	0.30	0.45	2.00	8.27
						39.02 m³	
	Rate. 5500 : 10						214.610
	(8) Providing and removing centering & shuttering shoring propping etc. and removal of form work for sides and soffits of beams beam haunches cantilever girders breasts and curved & not						

M. A.
Mea

No. ..... From
e of Work .....
e of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work	Number
2	3
exceeding 1.0 mor in Cajon Complete as p	
As per the Meas Page no.. 35 6680	
Rate. 300 : 10	
Providing and laye & Mix 1:3:6 with o	

NT BOOK

mensions			Contents	Ref. to Meas.
Breadth 5	Depth 6	7		
0.50	0.45	2.76		30.7
0.50	0.45	3.51		
0.50	0.45	2.00	8.27	
		39.02 m³		
			21461	

ng Centering Shuttering
d removal of form wo
eams & beam haunches
nveng and lintels not

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356641

No. ..... From ..... To .....

of Work .....

of Contractor of nature of Agency .....

f commencement of work .....

Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
	Number 3	Length 4	Breadth 5	Depth 6		
exceeding 1.0 mor in depth including Centg all necessary Labour Complete as per Specification. As per the measurements recorded vide Page No.. 356680 to 356682 in this MB.					102.63 m²	30789 : 0
Rate. 300 ± 10 Providing and laying in position plain Cement Concrete 1:3:6 using OPC Cement of 220 kg with 20mm						

Sm(B)
Halchs

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	and down size graded granite metal coarse aggregate metal fine aggregate of 0.56 cum mechanical mixed concrete in casing not exceeding 15cms thick load compacted in foundation and plinth including curing & all material lead & machinery charges complete as per specification.						
	(1)	2	6.10	0.50	0.15	0.91	
		1	6.10	0.60	0.15	0.54	
	(2)	2	6.20	0.50	0.15	0.93	
		1	6.20	0.60	0.15	0.55	
						2.93	

No. .....
of Work .....
of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work
2
(3)
(4)
(5)
(6)

OOK

h	Depth 6	Contents 7	Refere to la Measure 8
			mise mesal Course
			se of 0.8 Cum ad
			reenne mixed Conc
			1 Cums Surface wall
			Plain ry encasing cum
			meenary Curing
			1.
0	0.15	0.91	
	0.15	0.84	
0	0.15	0.93	
0	0.15	0.55	
		2.93	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

356642

l No. .....
e of Work ..... From..... To.....
e of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
	Number 3	Length 4	Breadth 5	Depth 6		
③	2	6.20	0.50	0.15	0.93	2.93
	1	6.20	0.60	0.15	0.55	
④	2	6.15	0.50	0.15	0.92	
	1	6.15	0.60	0.15	0.55	
⑤	2	6.30	0.50	0.15	0.94	
	1	6.30	0.60	0.15	0.56	
⑥	2	6.35	0.50	0.15	0.95	
	1	6.35	0.60	0.15	0.57	5.97
					8.9	

SM(B)
Halchs

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(7)	2	6.00	0.50	0.15	0.90	8.9
		1	6.00	0.60	0.15	0.54	
	(8)	2	6.40	0.50	0.15	0.96	
		1	6.40	0.60	0.15	0.57	
	(9)	2	6.20	0.50	0.15	0.93	
		1	6.20	0.60	0.15	0.55	
	(10)	2	6.40	0.50	0.15	0.96	
		1	6.40	0.60	0.15	0.57	
	(11)	2	6.10	0.50	0.15	0.91	6.89
							15.79

Work

M

al No. .....

e of Work .....

e of Contractor of nature of Agency .....

of commencement of work .....

e	Full description, etc, of work	Num
	2	3
	(12)	2
		1
	(13)	2
		1
	(14)	2
		1
	(11)	1

ENT BOOK

Dimensions			Contents	Reference to last Measurement
gth 4	Breadth 5	Depth 6	7	8.9 8
00	0.50	0.15	0.90	
00	0.60	0.15	0.54	
40	0.50	0.15	0.96	
40	0.60	0.15	0.87	
20	0.50	0.15	0.93	
20	0.60	0.15	0.55	
40	0.50	0.15	0.96	
40	0.60	0.15	0.57	
10	0.50	0.15	0.91	6.89
			15.79	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356643

l No. .....

e of Work ..... From..... To.....

e of Contractor of nature of Agency .....

of commencement of work .....

	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		6.89 15.79
(12)		2	6.15	0.50	0.15	0.92	
		1	6.15	0.60	0.15	0.55	
(13)		2	7.80	0.50	0.15	1.17	
		1	7.80	0.60	0.15	0.70	
(14)		2	4.45	0.50	0.15	0.66	
		1	4.45	0.60	0.15	0.40	
(11)		1	6.10	0.60	0.15	0.54	4.94
						20.73	

2 Lakhs

MEASUREMENT BOOK

Date	Full description, etc, of work		Dimensions				Contents	Ref. to Measurement
			Number	Length	Breadth	Depth AVE		
1	2		3	4	5	6	7	20.73
	Ramp.	(9)	2	6.30	0.75	0.11	1.03	
		(8)	2	6.40	0.75	0.11	1.05	
		(10)	2	6.40	0.75	0.11	1.05	5.19
		(12)	2	6.15	0.75	0.11	1.01	4.14
								3
	Rate. ₹300:00						24.74 M	13 1122
(10)	providing Flush Pointing to Coursed Stone masonry with Cement Mortar 1:3 20 mm deep after raking joints to depth of 20 mm nicely lining including cost of materials Labour Curing Complete as per Specification.							

Date | Full description, etc, of work 2

(1) (2) (3) (4) (5) (6) (7)

NT BOOK

ensions			Contents	Refer... to la... Measu...
	Breadth 5	Depth 6 AVE	7	
	0.75	0.11	1.03	
	0.75	0.11	1.05	
	0.75	0.11	1.05	5.19 4.14
	0.75	0.11	1.01	
			3	
			24.74 M	
			131122	

to Coursed Stone Masonry
mm deep as per drawing
ucely lining including
uring Compressed as per

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356644

...al No. .....
...e of Work ..... From..... To.....
...e of Contractor of nature of Agency .....
...e of commencement of work .....

...e	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	(1)	2	6.10	-	0.50	6.10	
	(2)	2	6.20	-	0.50	6.20	
	(3)	2	6.20	-	0.50	6.20	
	(4)	2	6.15	-	0.50	6.15	
	(5)	2	6.30	-	0.50	6.30	
	(6)	2	6.35	-	0.50	6.35	
	(7)	2	6.00	-	0.50	6.00	
						43.3	

SM(B)
Hatches

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	43.38
	(8)	2	6.40	-	0.30	6.40	
	(9)	2	6.20	-	0.30	6.20	
	(10)	2	6.40	-	0.30	6.40	
	(11)	2	6.40	-	0.30	6.40	
	(12)	2	6.45	-	0.30	6.45	
	(13)	2	7.80	-	0.30	7.80	
	(14)	2	4.45	-	0.30	4.45	43.3
	Rate · 200.00					86.80 m²	17360

Al No. .....
ne of Work .....
ne of Contractor of nature of Agency
e of commencement of work .....

te	Full description, etc, of work
	2
(1)	Providing and
	& Mix M20 wo
	Size graded gr
	and give assu
	as 3 is Conform
	mixed excludi
	Foundation Plus
	Staircase Lintel
	attached Plasti

OOK

th	Depth 6	Contents 7	Reference to last Measurement 8
	0.30	6.40	43.38
	0.30	6.20	
	0.30	6.40	
	0.30	6.10	
	0.30	6.45	
	0.30	7.80	
	0.30	4.45	43.3
		86.80 m²	17360

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356645

al No. .....
ne of Work ..... From..... To.....
ne of Contractor of nature of Agency .....
e of commencement of work .....

e	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Providing and laying in position plain cement concrete of Mix M20 using Ordinary Portland Cement of 320 kg/cum proportion as shown in the Graded granite metal coarse aggregate of 0.878 cum and fine aggregate of 0.459 cum with super plasticizers of 3 kg conforming to IS 9103-1999 Reinforced machine mixed excluding 15 cms thick under ground level for Foundation Plinth and ground floor Staircase flights & landings, resting walls including attached pilasters & columns Piers abutments Piers						

8m(B) 2 lakhs

M-20 2 lakhs

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measure
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	including cost & necessary labour curing complete as per specification.						
	①	1	6.10	1.65	0.23	2.31	
	②	1	6.20	1.65	0.23	2.35	
	③	1	6.20	1.65	0.23	2.35	
	④	1	6.15	1.65	0.23	2.33	
	⑤	1	6.30	1.65	0.23	2.39	
	⑥	1	6.35	1.65	0.23	2.40	
	⑦	1	6.00	1.65	0.23	2.27	
	⑧	1	6.40	1.65	0.23	2.42	18.82

C&F.C.

T.O. (3/12)

OOK

Depth 6	Contents 7	Reference to last Measurement 8
	Lagoon Curing Compl	
0.23	2.31	
0.23	2.35	
0.23	2.35	
0.23	2.33	
0.23	2.39	
0.23	2.40	
0.23	2.27	
0.23	2.42	18.82

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356646

...al No. .....
...e of Work ..... From..... To.....
...e of Contractor of nature of Agency .....
...e of commencement of work .....

Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
						18.82
(9)	1	6.20	1.65	0.23	2.35	
(10)	1	6.40	1.65	0.23	2.42	
(11)	1	6.10	1.65	0.23	2.31	
(12)	1	6.15	1.65	0.23	2.33	
(13)	1	7.80	1.65	0.23	2.96	
(14)	1	4.45	1.65	0.23	1.68	17.01
Missing Slab.	13	1.65	0.60	0.23	2.96	
Page. 56					35.83 m³	200648:00

Item (7) SM(B) 2 lakhs

Item (11) M-20 2 lakhs

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(12) Providing TMT steel reinforcement for RCC work including straightening cutting bending hooks placing in position lapping and or welding wherever required tying with binding wire and anchoring to the adjoining members wherever necessary complete as per Design (Cost of hooks and lap shall not be measured and paid) cost & materials labour T&M & machinery complete as per specification. As per pre-measurement recorded vide Page no.- 356682 to 356686 in MB. Page- 68000-20					2.34 MT	159/20

Full description, etc, of work

2

Loading and ... means Contract Quantity

Page - 38 : 11

C/F

16/11/19

T BOOK

sions		Contents	Referen to last Measuren
Breadth 5	Depth 6	7	8

...rcement for RCC
...p casting sending work
...g and on welding work
...g wire and anchoring
...g whenever necessary
...as hooks and washers
...) cost & materials
...ortage as per specification
...t recorded vide
6686 in MB No.
2.34 Rm 159/20

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356647

...al No. .....
...e of Work ..... From..... To.....
...e of Contractor of nature of Agency .....
...e of commencement of work .....

	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Loading and reloading & stone boulders by manual means Contractor as per specification. Quantity vide item no. (4) Page · 38 : 11					218.74	8336 : 18
	Total					Rs. 12-1 TOTAL	1626560 = 00 1622749.89 1947.29 = 00 1624697.18

ಸಹಾಯಕ ಅಭಿಯಂತರರು 16/11/19
ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ ಕಛೇರಿ
ಬೆಂ.ಪೂ.ವಿ., ಬೆಂಗಳೂರು-24

CE&FC
16/11/19

Item (7)
SM(B)
2 lakhs

Item (11)
M-20
2 lakhs

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Certificate.						
		① Certified that the work done satisfy					
		② This bill amount has not been cla in any previous bill.					
	16/11/19						
	ಸಹಾಯಕ ಅಧಿಕಾರಿಯವರು						
	ಬಿ.ಬಿ.ಎಂ.ಪಿ ಪಶ್ಚಿಮಾಯನವರ ಉಪ ವಿಭಾಗ.						
	29.11.19						
	ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು						
	ಪಶ್ಚಿಮಾಯನವರ ಉಪ ವಿಭಾಗ						
	ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24						

al No. .....
me of Work .....
me of Contractor of nature of
e of commencement of work

te	Full description, etc,
	2

T BOOK

ions		Contents	Referen to las Measure
Breadth 5	Depth 6	7	8

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356648

rial No. .....

me of Work ..... From..... To.....

me of Contractor of nature of Agency .....

e of commencement of work .....

te	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	1st and Final Bill						

ಲೆಕ್ಕತೀರ್ಪಿಕೆ 1771

ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ. 1817478=00 ರೂಪಾಯಿ ಪಾಸು ಮಾಡಿದೆ.

ಇದರಲ್ಲಿ ರೂ. 90284=00 ರೂಪಾಯಿ ಹೊಂದಾವಣೆ

ಮಾಡಿಕೊಂಡು ರೂ. 1727194 ರೂಪಾಯಿ

FT/NEFT/RTGS ವಿವರಗಳು ಸಲ್ಲಿಸಲಾಗಿದೆ

ವಿಷಯ ಅಧೀಕ್ಷಕ ಅಭಿಯಂತರರು 3/12

ಅಧೀಕ್ಷಕ ಅಭಿಯಂತರರು ವ್ಯಾಪಾರಾಭಿವೃದ್ಧಿ ವಿಭಾಗ ಬೃಬೆಮಪಾ, ಮಾಗಡಿರಸ್ತೆ ವ್ಯಾಪಾರಾಭಿವೃದ್ಧಿ ವಿಭಾಗ ಬೃಬೆಮಪಾ, ಬೆಂಗಳೂರು

BA - 1817478=00
IT - 18175=00
GST - 16228=00
CGST - 16228=00
LR - 19310=00
CBF - 1818=00
LWF - 18175=00
fine - 350=00
TD - 90284=00
Net - 1727194=00